

5900 Series ShopPro Nitrile

Material Safety Data Sheet

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name: ShopPro Premium, Powder-free, Nitrile Gloves
Product Use: One-off glove for Industrial and general use
Product Code & Type: M, L, XL, XXL

2. COMPOSITION/INFORMATION ON INGREDIENTS

Substance/Preparation: Preparation

Ingredients Name	CAS NO.	Risk Phrases
NBR	9003-18-3	-
ZDC	14324-55-1	R22, 36/37/38, 43, 50/53
BZ	136-23-2	R36/37/38, 43, 50/53
S	7704-34-9	-
KOH	1310-58-3	R22, 35
TiO ₂	13463-67-7	-
ZnO	1314-13-2	R50/53
Pigment	-	-

Note: See Section 8 of MSDS for exposure limit data for these ingredients.

3. HAZARDS IDENTIFICATION

The preparation is classified as Miscellaneous Hazardous Material according to Directive 1999/45/EC and its amendments.

Primary Hazards and Critical Effects:

May cause sensitization by skin contact

Individual who is sensitive to nitrile-butadiene rubber may cause skin sensitization when wear nitrile examination gloves.

Environmental Hazards:

Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

4. FIRST AID MEASURES

Eyes:

Immediately wash with copious amounts of water, holding eyelid(s) open to remove the foreign particle. Take care not to rinse contaminated water into the non-affected eye. If irritation develops or particle cannot easily be removed, seek medical attention.

Skin:

5900 Series ShopPro Nitrile

Material Safety Data Sheet

Get medical aid if irritation develops or persists. Flush skin with plenty of soap and water.

Ingestion:

Unlikely happen. If victim is conscious and alert, give 2-4 cupfuls of milk or water. Get medical aid immediately.

Inhalation:

Unlikely happen. Get medical aid if cough or other symptoms appear.

5. FIRE FIGHTING MEASURES

Suitable extinguishing media: Use extinguishing media most appropriate for the surrounding fire.

Special exposure hazards: Not available.

Special protective equipment for fire-fighters: As in any fire, wear a self-contained breathing apparatus in pressure-demand, and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions

Use proper personal protective equipment as indicated in Section 8.

Environmental precautions

Keep away from drains, surface-water and ground water and soil. Possibly need to alert the Environmental Protection Authority, or your local Waste Management Authority.

Methods for cleaning up:

Sweep up, and then place into a suitable container for disposal. Avoid entering the waterways.

7. HANDLING AND STORAGE

Handling:

Repeated or prolonged contact with this material should be avoided in order to lessen the possibility of skin sensitizing. It is essential that all who come into contact with this material maintain high standards of personal hygiene ie. Washing hands prior to eating, drinking or going to the toilet.

Storage:

Store in a cool, dry place. Keep away from direct sunlight, strong acid and alkali.

5900 Series ShopPro Nitrile

Material Safety Data Sheet

8. EXPOSURE CONTROLS, PERSONAL PROTECTION

Exposure limit values

Ingredients Name	EU OEL	USA ACGIH
NBR	-	-
ZDC	-	-
BZ	-	-
S	-	-
KOH	UK. OELs. TWA is: 2 mg/m ³ .	2 mg/m ³
TiO ₂	UK. OELs. TWA: 4 mg/m ³ . (RESPIRABLE) TWA: 10 mg/m ³ . (TOTAL INHALABEL)	10 mg/m ³ TWA
ZnO	-	2 mg/m ³ (TWA), 10 mg/m ³ (STEL), Respirable fraction
Pigment	-	-

Exposure controls

Good general ventilation should be sufficient to control airborne levels.

Respiratory protection: Not required for normally use.

Hand protection: Not required for normally use.

Eye protection: Not required for normally use.

Skin protection: Not required for normally use.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Solid

Odor: none

PH: 7-8

Vapor Density (Air=1): Not available

Specific Gravity (water=1): Not available

Density: Not available

Boiling Point: Not available

Melting Point: Not available

Freezing point: Not available

Flash Point: Not available

Solubility in Water: Not soluble

5900 Series ShopPro Nitrile

Material Safety Data Sheet

Viscosity: ≤150

Evaporation Rate (n-Butyl Acetate=1): Not available

10. STABILITY AND REACTIVITY

Stability:

Stable at room temperature under normal storage and handling conditions

Conditions to Avoid:

Incompatible materials, direct sunlight

Materials to Avoid:

Strong acid and alkali

Hazardous Decomposition Products

Carbon monoxide, carbon dioxide, nitrogen oxides, acid fumes and toxic gases are formed from incomplete combustion.

11. TOXICOLOGICAL INFORMATION

Acute toxicity data

No toxicity data available for this product. However, please refer to the following data for each ingredient:

CAS# 1310-58-3:

LD50/LC50:

Draize test, rabbit, skin: 50 mg/24H Severe;

Oral, rat: LD50 = 273 mg/kg;<BR.

CAS# 14324-55-1

ORL-RAT LD50 700 mg/kg

ORL-MUS LD50 1400 mg/kg

ORL-RBT LD50 400 mg/kg

IPR-MUS LD50 142 mg/kg

Carcinogenicity

Not classifiable as a human carcinogen

Mutagenicity

None Know.

12. ECOLOGICAL INFORMATION

Ecotoxicity:

1310-58-3:

5900 Series ShopPro Nitrile

Material Safety Data Sheet

Fish: Mosquito Fish: LC50 = 80.0 mg/L; 24 Hr

Mobility: Not available

Persistence and degradability: Not available

Bioaccumulative potential: Not available

13. DISPOSAL CONSIDERATIONS


Dispose of waste according to EU regulations.

14. TRANSPORT INFORMATION

UN number: 3077

Class: 9

Packing group: III



Proper shipping name: Environmentally hazardous substance, solid, N.O.S.

15. REGULATORY INFORMATION

EU Regulations

Hazard Symbol(s)



Sensitizing, Dangerous for the environment

Risk Phrases:

R43 May cause sensitization by skin contact
(Individual who is sensitive to nitrile-butadiene rubber may cause skin sensitization when wear nitrile examination gloves.)

R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Safety Phrases:

S24 Avoid contact with skin (individual who is sensitive to nitrile-butadiene rubber should avoid contact with skin)

S45 In case of accident or if you feel unwell seek medical advice immediately

5900 Series ShopPro Nitrile

Material Safety Data Sheet

S29 Do not empty into drains.
S61 Avoid release to the environment

US Regulations

One or more ingredients are listed on the TSCA inventory.

Section 302 (RQ)

CAS# 1310-58-3: final RQ = 1000 pounds (454 kg)

16. OTHER INFORMATION

Validation Date: 2011.1.10

Risk Phrases in Section 2:

R43	May cause sensitization by skin contact
R22	Harmful if swallowed.
R36/37/38	Irritating to eyes, respiratory system and skin
R35	Causes severe burns
R50/53	Very toxic to aquatic organisms, may cause long term adverse effects in the aquatic environment

This information and these recommendations are offered in good faith and believed to be correct as of the date hereof. Information and recommendations are supplied upon the condition that the recipients will make their own decision as to safety and suitability for their purposes. No representations or warranties, either expressed or implied, of merchantability, fitness for a particular purpose, or of any other nature, are made with respect to the product or the information and recommendations. We make no representation as to completeness or accuracy. In no event shall we be responsible for damages of any nature whatsoever resulting from the use or reliance upon the information and recommendations.

* * * END OF MSDS * * *